

Product Specifications

⚠ CAUTION!

· Understand the specifications of this product thoroughly before use.

Model and Type			CG431
Machine Mass		kg	2000
Dimensions	Overall Length	mm	3465
	Overall Width	mm	1700
	Overall Height	mm	1405
	Track Contact Length	mm	1345
	Track Gauge	mm	1170
	Track Width	mm	320
	Ground Clearance	mm	280
	Average Ground Pressure	kgf/cm ²	0.24
Engine	Model		Kubota V2203
	Type		Water-cooled 4-cycle Diesel, in-line 4 cylinder
	Cylinder (Bore×Stroke)	mm	87X92.4
	Displacement	cm ³ (cc)	2197 (2197)
	Rated Output	kw(PS)/rpm	33.0(44.8)/2600
	Maximum Torque	N·m(kgf·m)/rpm	145.1(14.8)/1500
	Starter System		Electric
	Fuel		Diesel Fuel
	Fuel Consumption	g/kW·h(g/PS·h)	255(190)
	Fuel Tank Capacity	L	52
	Oil Capacity	L	9.7
	Coolant Capacity	L	8.5
Elect.	Battery Type		100E41R
	Battery Capacity		V/AH 12/80
Performance	Speed	FWD HI	km/h 0 - 9
		FWD LO	km/h 0 - 6
		REV HI	km/h 0 - 7
		REV LO	km/h 0 - 4.5
	Minimum Turning Radius		m 2.0
	Gradeability		Degrees 35
	Stability Angle	Left	Degrees 40
Right		Degrees 40	

Model and Type		CG431	
Drive Train	Main Transmission		HST (2 Speed Motor)
	Steering		Twin HST
	Transmission Oil Capacity	L	42
	Brakes		Hydraulic

*These specifications are subject to change without notice.

Contents of Tool Bag

No.	Content	Quantity	Note
1	Operator's Manual	1	This Manual
2	Operator's Manual for Engine	1	
3	Fire Extinguisher	1	
4	Operator's Manual for Extinguisher	1	